

Application

Designed for occasions when integral components of BEGA System Bollard tubes are required where additional light is not.

Materials

Die-cast aluminum
Interlocking stainless steel mounting mechanism for attachment of head and tube

NRTL listed to North American Standards, suitable for wet locations
Protection class IP 65

Weight: 1.21 lbs.

Finish

All BEGA standard finishes are matte, textured powder coat with minimum 3 mil thickness. BEGA Unidure® finish provides superior fade protection in Black, Bronze, and Silver. BEGA standard White is a super durable polyester powder. Optionally available RAL, custom, and premium colors provided in polyester powder and/or liquid paint.

Available colors

| | |
|----------------------|--------------|
| Black (BLK) | Bronze (BRZ) |
| Silver (SLV) | White (WHT) |
| Natural Bronze (NTB) | RAL: |
| CUS: | |

Type:

BEGA Product:

Project:

Modified:

Available options

| | |
|-----|---------------------------------|
| CUS | Custom finish |
| MGU | Marine grade undercoat |
| NTB | Natural bronze (premium finish) |
| RAL | RAL finish |



| | A | B |
|--------|-------|-------|
| B71126 | 5 1/2 | 0 3/4 |




















System bollard summary · Round

BEGA

The overview provides a compact summary of the possibilities for combining the various bollard heads with the bollard tubes and their additional functions.

For each bollard head you can find matching bollard tubes with and without components.

| System bollard heads with compatible tubes | |  | |  | | |  | |  | |  | |  | |  | |  | |  | | |
|--|---|---|------|---|------|-------|---|------|---|------|---|------|--|------|---|------|---|------|---|--|--|
| BEGA bollard tubes Ø in inches | | ø5 ½ | ø7 ½ | ø5 ½ | ø7 ½ | ø10 ¾ | ø5 ½ | ø7 ½ | ø5 ½ | ø7 ½ | ø7 ½ | ø7 ½ | ø10 ¾ | ø7 ½ | ø10 ¾ | ø7 ½ | ø5 ½ | ø7 ½ | ø10 ¾ | | |
|  | Without components in two heights | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | |
|  | With integral floodlight | | • | | • | | | • | | • | | • | | | • | | | • | | | |
|  | With integral PIR motion sensor | | • | | • | • | | • | | • | • | • | • | | • | | | • | • | | |
|  | With emergency lighting battery | | • | | • | • | | • | | • | • | • | • | | • | | | • | • | | |
|  | With drive-through protection | | | | | • | | | | | | • | | • | | | | | • | | |
|  | With integral GFCI outlet | | • | | • | • | | • | | • | • | • | • | | • | | | • | • | | |
|  | With integral 240V receptacle for electric vehicles | | | | | • | | | | | | • | | • | | | | | • | | |
|  | Wood bollard tubes | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | |

Compatible tubes · Ø5 1/2

| System bollard tube · No access door | | |
|--------------------------------------|-------|--------|
| | A | B |
| B99614 | 5 1/2 | 14 1/4 |
| System bollard tube · No access door | | |
| | A | B |
| B99620 | 5 1/2 | 26 |
| Wood system bollard tube · Round | | |
| | A | B |
| B84476 | 5 1/2 | 25 7/8 |