



NOTES:

- 1. BOLT CIRCLE: 6-3/8"
- 2. ANCHOR BOLT SET INCLUDED WITH ANCHORAGE (4) 5/8" X14" L-BOLTS, HEX NUTS. LEVELING AND LOCK WASHERS
- 3. BASE OF LUMINAIRE WILL REST ABOVE THE BASEPLATE OF ANCHORAGE ONCE INSTALLED, FINISHED GRADE MUST BE 5-1/4" IN DEPTH.
- 4. ANCHORAGE ORIENTATION MUST BE ALIGNED WITH DESIRED OUTPUT
- 5. STRUCTURAL ENGINEER MUST BE CONSULTED FOR FOOTING DESIGN.

BEGA						
1000 BEGA Way, Carpinteria, California 93013	P (805) 684-0533 - www.bega-us.com					
APPROVED: DATE: TYPE:	DESCRIPTION: ANCHORAGE KIT					
PROPRIETARY AND CONFIDENTIAL	SIZE	PART NO.	70000		REV	
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BEGA NORTH AMERICA, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BEGA NORTH AMERICA, INC. IS PROHIBITED.	В		79828	-		
	NOT TO SCALE		11/1/2023	SHEET 2 OF 3		



REV CHANGED BY DESCRIPTION DATE



NOTE:

- 1. BASE MUST HAVE 31-1/4" OF BURIAL DEPTH
- 2. DRAINAGE MUST BE PROVIDED

BEGA						
1000 BEGA Way, Carpinteria, California 93013	P (805) 684-0533 - www.bega-us.com					
APPROVED: DATE: TYPE:	DIRECT BURIAL ANCHORAGE KIT (OPTIONAL)					
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF BEGA NORTH AMERICA, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF BEGA NORTH AMERICA, INC. IS PROHIBITED.	size B	PART NO.	71192		REV -	
	NOT	ΓO SCALE	11/1/2023	SHEE	T 3 OF 3	