

Application
BEGA system bollard luminaire tube without components. BEGA system bollard tubes are designed for easy attachment to system bollard heads using an interlocking mechanism. An accompanying bollard head must be selected for proper installation.

Materials
Extruded aluminum
Marine grade, copper free (≤ 0.3% copper content) A360.0 aluminum alloy
Die-cast aluminum
Interlocking stainless steel mounting mechanism for attachment of head and tube
Self-expanding sleeve anchors for pre-cast concrete

NRTL listed to North American Standards, suitable for wet locations
Protection class IP 65

Weight: 5.1 lbs.

Finish
All BEGA standard finishes are matte, textured powder coat with minimum 3 mil thickness. BEGA Unidure® finish provides superior fade protection in Black, Bronze, and Silver. BEGA standard White is a super durable polyester powder. Optionally available RAL, custom, and premium colors provided in polyester powder and/or liquid paint.

Available colors	
Black (BLK)	Bronze (BRZ)
Silver (SLV)	White (WHT)
Natural Bronze (NTB)	RAL:
CUS:	

Type:
BEGA Product:
Project:
Modified:

Available options	
CUS	Custom finish
MGU	Marine grade undercoat
NTB	Natural bronze (premium finish)
RAL	RAL Classic, matte finish



System bollard tube · No access door		
	A	B
B99614	5 1/2	14 1/4













System bollard summary · Round

BEGA

The overview provides a compact summary of the possibilities for combining the various bollard heads with the bollard tubes and their additional functions.

For each bollard head you can find matching bollard tubes with and without components.

System bollard heads with compatible tubes																					
BEGAS bollard tubes Ø 100 mm		ø5 1/2"	ø7 1/2"	ø5 1/2"	ø7 1/2"	ø10 1/2"	ø5 1/2"	ø7 1/2"	ø10 1/2"	ø5 1/2"	ø7 1/2"	ø10 1/2"	ø5 1/2"	ø7 1/2"	ø10 1/2"	ø5 1/2"	ø7 1/2"	ø10 1/2"	ø5 1/2"	ø7 1/2"	ø10 1/2"
	Without components in two heights	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	With integral floodlight	•		•			•			•			•					•			
	With integral PIR motion sensor	•		•	•		•			•			•	•		•		•	•		
	With emergency lighting battery	•		•	•		•			•			•	•		•		•	•		
	With drive-through protection					•						•			•				•		
	With integral GPC1 outlet	•		•	•		•			•			•	•		•		•	•		
	With integral 24V inductive electric vehicle				•							•							•		
	Wood bollard finish	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

Compatible heads · Ø 5 1/2"

System bollard head · Unshielded · 360°

B99719	LED 6.0W	A 5V ₂	B 5V ₂
--------	-------------	----------------------	----------------------

System bollard head · Unshielded with safety guard · 180°

B99770	LED 6.0W	A 5V ₂	B 5V ₂
--------	-------------	----------------------	----------------------

System bollard head · Unshielded with safety guard · 360°

B99760	LED 6.0W	A 5V ₂	B 5V ₂
--------	-------------	----------------------	----------------------

System bollard head · Shielded with reflector · 180°

B99853	LED 6.0W	A 5V ₂	B 5V ₂
--------	-------------	----------------------	----------------------

System bollard head · Shielded with reflector · 360°

B99852	LED 6.0W	A 5V ₂	B 5V ₂
--------	-------------	----------------------	----------------------

System bollard head · Unshielded with safety guard · 360°

B84682	LED 6.0W	A 5V ₂	B 7
--------	-------------	----------------------	--------

System bollard head · Non-illuminated cap

B71126	A 5V ₂	B 0V ₄
--------	----------------------	----------------------